



Ultimate Industrial

EYEWEAR PROTECTION



# TECHNICAL PRODUCT DATASHEET

SAFETY GOGGLES



UPDATED: 11/10/2021

## CONZA™

### CONZA - K + N Rated Safety Goggle

Offering wearers excellent optics and unrestricted peripheral vision, the Premium Conza™ Indirect vent goggle incorporates a modern, low profile design and panoramic lens. An ultra soft TPR Flange offers superior comfort, low pressure fit and gives protection against Liquids and dusts. A rotatable strap buckle and adjustable strap ensures correct seal to the face.

Innovative twin indirect vent system has been designed to provide unrivalled comfort during extended use. Premium K Armour coating offers maximum resistance to scratches - extending life of the product and Premium N - RX-Anti fogging offers maximum resistance to fogging on both sides of the lens.

Fits over most medium size prescription frames.



### FEATURES AND TECHNOLOGY

Ref Code	Lens	Premium Anti Scratch (K)	Premium Anti Fog (N)	EN166	3-Liquids	4- Large Dust Particles	EN170	EN172
CONZO/CL	Clear	✓	✓	1BT 34 KN	✓	✓	2C-1.2	✗

### TECHNICAL INFORMATION

<b>ORDER REF #</b>	EY/UC/GL/CONZO/colour	<b>CERTIFICATION AND STANDARDS</b> (SEE OVERLEAF FOR FURTHER DETAILS)
<b>LENS AVAILABLE</b>	Clear	
<b>PACKING</b>	<b>PER BOX:</b> 6 <b>PER CASE:</b> 120	
<b>SIZE</b>	One size	
<b>EU TYPE CERTIFICATION PERFORMED BY</b>	SGS Fimko OY, Notified Body 0598, Takomotie 8, FL-00380, Helsinki, Finland	



Phone: +44 (0)1902 451 451  
 Fax: +44 (0)1902 451 271  
 Email: sales@ultimateindustrial.co.uk  
 Web: www.ultimateindustrial.co.uk

Ultimate Industrial | *Leadership in PROTECTION.™*

© 2021. Ultimate Cleaners (Industrial) Ltd.  
 Victoria House, Colliery Road, Wolverhampton, WV1 2RD, UK.  
 Registered in England No. 2035621



Ultimate Industrial

CERTIFICATION AND STANDARDS

Goggle - 1BT 34 KN	With side arms - 1FT KN
Suitable for continuous use (class 1 optical)	Suitable for continuous use (class 1 optical)
Medium energy impact at -5 to +55 (resists a 6 mm, 0.86g ball bearing at 120m/s)	Low energy impact at -5°C to +55°C (resists a 6 mm, 0.86g ball bearing at 45 m/s) (Maximum protection level available for glasses with sidearms)
3 - Offers protection against liquid splashes or droplets	
4- Offers protection against large dust particles bigger than 5 microns	K -Anti Scratch
K -Anti Scratch	N - Anti Fog
N - Anti Fog	
<b>Additional Standards</b>	
SMOKE LENS ONLY: EN 172:1994 Solar protection filters for industrial use Shade 5-3.1	
CLEAR LENS ONLY: EN 170:2002 "Ultraviolet Filters", Shade 2C-1.2.	

FURTHER INFORMATION

**STORAGE / TRANSPORT:** This product should be stored at a temperature 0-35C and 30-70% RH and kept away from solvents, or solvent vapours or any corrosive materials, as these may seriously reduce the impact protection provided by the spectacle. During transportation, ensure the product is well packaged to prevent damage.

**PRECAUTIONS BEFORE USE:** It is important that the eyewear selected is suitable for the protection required and the wear environment. If in doubt, further information should be sought from the manufacturer . The enclosed product information sheet should be read before use.

**RECOMMENDATION / CLEANING:** This product can be cleaned with soap and warm water or, if required, disinfected with a UV lamp or cleaned with a common domestic disinfectant. The lenses are coated to provide a certain level of scratch resistance,

however, they are not scratch proof and it is recommended that wiping of the lens is to be kept to a minimum and only done so with a soft non-abrasive cloth.

**SERVICE LIFE:** The actual wear life is dependent upon the type of eyewear and the environmental conditions which can affect the wear, contamination and degradation of the product.

For more information about this product, or to access the Declaration of Conformity or Product Certification, visit; <https://www.ultimateindustrial.co.uk/eyewear/conzo>

If appropriate to the product, EC/EU Declaration of Conformities, relevant certification and supporting documentation are available to access through your distributor, at the above web address(s) or by contacting UCI customer services quoting the product reference code. This document and any other statement provided herein by or on behalf of UCI are given for informational purposes and do not constitute a contractual agreement nor warranty of merchantability. UCI assumes no responsibility for the suitability or adequacy of an end user's selection of product for a specific purpose. The manufacturer reserves the right to make any modifications it deems necessary. All product and company names are trademarks™ or registered® trademarks of their respective holders. © UCI Limited, 2019



**Phone:** +44 (0)1902 451 451  
**Fax:** +44 (0)1902 451 271  
**Email:** sales@ultimateindustrial.co.uk  
**Web:** www.ultimateindustrial.co.uk



© 2021. Ultimate Cleaners (Industrial) Ltd.  
Victoria House, Colliery Road, Wolverhampton, WV1 2RD, UK.  
Registered in England No. 2035621